





Ashiana Mulberry

Adjacent to GD Goenka World School Sector 2 Sohna Gurgaon Road Sohna, Gurgaon

www.ashianamulberry.com
Email: sales@ashianamulberry.com

Ashiana Dwellings Pvt Ltd (A subsidiary of Ashiana Homes Pvt Ltd)

Corporate Office: 3H, Plaza M6, District Centre Jasola, New Delhi 110025


Tel: +91 11 4056 4056 Fax: +91 11 4056 4040 <u>Email: contact</u>@ashianahomes.com

Regd Office:

5F, Everest, 46/C Chowringhee Road, Kolkata-700 071, West Bengal CIN: U45400WB2014PTC201892t

call 8010 100 500

Disclaimer: The Project named "Ashiana Mulberry Phase 1 (Tower 1/2/3)" is a part of Total Licensed Project "Ashiana Mulberry" located at Sector 2, Sohna, Gurgaon, being developed by the Licensee M/s Ashiana Dwellings Pvt. Ltd, having been issued a license by the Directorate of Town & Country Planning (DTCP), Haryana vide license No. 16 of 2014 dated 10-06-2014 transferred in its favour vide order No LC-2817-JE(VA)/2015/9498 dated 08-06-2015. The Building Plans were approved via Memo No. ZP-1062/AD(RA)/2015/4931 dated 26-03-2015. The total number of dwelling units in the Total Licensed Project is 660 Nos, EWS units 117 Nos, Nursery school 1 Nos, Community Building and shops. The HRERA registration number is 44 of 2017 dated 11-08-2017 issued via Memo No. HRERA (Reg.) 278/2017/259 for Project "Ashiana Mulberry Phase - I (Tower 1/2/3). All the Approvals can be checked at the Head Office of the Company. The Project has availed construction finance from Housing Development Finance Corporation Ltd (HDFC Ltd). The Company is only selling the apartments under phase wise construction (Ashiana Mulberry Phase -) and not the Project Land. The right of Buyer, in the common areas, facilities and amenities, will be limited to usage rights as per declaration deed to be filed in the due course of time and as per Apartment Buyer Agreement. The external infrastructure facilities such as Sector Roads, Electricity Supply, Drinking Water, trunk stormwater drainage are to be developed by various Government agencies/ departments. If there is any delay or inconvenience due to non-availability of external infrastructure the company shall not be responsible for the same. Changes may happen in the layout of amenities/ common area services if instructed by Competent Authorities such as DTCP, Ministry of Environment, State Pollution Control Board, Central Ground Water Authority, HUDA, Electricity Supply Agency, Fire Department etc. The information and contents provided herein are subject to change within the provisions of Real Estate (Regul



LIVE THE
LIFE OF LUXURY
YOU DESERVE!













ASHIANA **HOMES**

Ashiana has completed over 30 glorious years in the housing development sector. It has established its reputation as a real estate developer that provides Quality of Construction, Safety of Investment and Integrity of Commitment. It has built over 34 lacs sq. ft. of residential and commercial space and has put a smile on the faces of 4,200 families. Ashiana's existing portfolio of real estate projects is made up of best-in-class developments in modern condominiums. Some of Ashiana's completed residential projects include: Villa Anandam, Ashiana Palm Court, Ashiana Le Residency and Ashiana Heritage at Ghaziabad, Ashiana Upvan and Ashiana Greens at Indirapuram, Ashiana Orchids and Black Gold Apartments at Greater Noida, Classic Personal Floors and Ashiana Silver Crest Villas at Gurgaon. Ongoing projects of Ashiana are Royal Lagoon and Royal Arcade in Bhubaneshwar, Ashiana Greens in Jaipur, Ashiana Amaltas in Noida and The Center Court in Gurgaon. For more information, please visit www.ashianahomes.com.

ASHIANA MULBERRY

Welcome to Ashiana Mulberry, a beautifully landscaped residential complex on Sohna Road, Gurgaon.

Ashiana Mulberry consists of 2BR, 2BR + Study and 3BR apartments and a multitude of amenities.

The ground coverage is minimal, allowing plenty of space for our beautiful entrance boulevard framed by trees and lawns, water features and other aesthetic features all around.


The property boasts of a club house with a gym pool table and kids zone, lounge, home theatre, swimming pool and various sports facilities.

Ashiana Mulberry homes have well crafted.

LOCATION

Located on Sohna Road, South of Gurgaon, Ashiana Mulberry provides access to all the facilities required for an ideal family life.

- On main Sohna Road, South of Gurgaon, the upcoming part of Gurgaon
- Only 20 minutes^{*} from all the amenties of Gurgaon's Golf Course Extension Road
- Proposed elevated road** from Rajiv Chowk to Sohna for quick and efficient commute
- KMP (Western Peripheral Expressway) corridor and IMT Sohna are coming up close by
- Adjacent to GD Goenka World School, opposite KR Mangalam University
- Fresher, cleaner living environment at the foot of the Aravalis
- Excellent road connectivity to Delhi, Faridabad, Jaipur and Chandigarh



Source Google Map

^{*} Source NHAI announcement

^{···} As per MPD Gurgaon 20;

FEATURES

- 2 BR, 2 BR + Study and 3 bedroom residences
- · Homes with abundant natural light and air circulation
- Only 4 apartments per floor
- Large windows and balconies
- Elegant extra height, fully furnished building entrance lobby
- Multi Level Security
- Professional facility management
- Gold rated environment permission
- Club House with Home theater, Swimming Pool, Gym and much more

AREA

DESCRIPTION

Club House


- · Air-conditioned Club
- Lounge and Cafe with seating and TV
- Spa with facilities for Steam, Jacuzzi
- Gymnasium
- Banquet Hall cum Badminton Court
- Guest Rooms* (Provided in one tower)
- Indoor Games Room with Table Tennis, Pool Table, Billiards Table and Carrom
- · Indoor Kids Play Zone
- Home Theatre

Sports Facility

- Lawn Tennis Court (1 No.)
- Squash Court (1 No.)
- Outdoor Swimming Pool and Kids Splash Pool
- Outdoor Basket Ball Court (Half Court)
- Indoor Badminton Court (in party hall)
- Outdoor Kids Play Area with swings and slides.















SPECIFICATIONS

AREA	Living Room & Dining Area	Master Bedroom	Other Bedroom(s)
FLOORING	Double charged Vitrified Tiles	Laminated Wooden, Grade 3.8 mm thick	Vitrified Tiles
WALL & CEILING	Plastered along with a coat of Putty finished with Acrylic Emulsion Paint. Ceiling shall be in white colour. Walls in pastel shade.	Plastered along with a coat of Putty finished with Acrylic Emulsion Paint. Ceiling shall be in white colour. Walls in pastel shade.	Plastered along with a coat of Putty finished with Acrylic Emulsion Paint. Ceiling shall be in white colour. Walls in pastel shade.
WINDOWS & EXTERNAL DOORS	uPVC sliding doors and/or windows with glazing only. Latch shall be provided from inside.	uPVC sliding doors and/or windows with glazing only. Latch shall be provided from inside.	uPVC sliding doors and/or windows with glazing only. Latch shall be provided from inside.
DOORS & DOOR FRAMES	8 feet high pre-laminated door shutter with brass hardware (Mortice lock, tower bolt, door stopper and magic eye). Door frame to be of hard wood duly polished.	7 feet high moulded skin door shutter painted with enamel paint. Stainless steel/brass hardware (Mortice lock, tower bolt, door stopper). Door frame to be of hard wood painted with enamel paint.	7 feet high moulded skin door shutter painted with enamel paint. Stainless steel/brass hardware (Mortice lock, tower bolt, door stopper). Door frame to be of hard wood painted with enamel paint.
PLUMBING	N/A	N/A	N/A
ELECTRICAL	Copper wiring in concealed PVC conduits along with copper pipe & drain pipe for Split AC and modular switches (Refer to Annexure-A).	Copper wiring in concealed PVC conduits along with copper pipe & drain pipe for Split AC and modular switches (Refer to Annexure-A).	Copper wiring in concealed PVC conduits along with copper pipe & drain pipe for Split AC and modular switches (Refer to Annexure-A).

SPECIFICATIONS

AREA	Study Room	Kitchen
FLOORING	Vitrified Tiles	Ceramic Tiles
WALL & CEILING	Plastered along with a coat of Putty finished with Acrylic Emulsion Paint. Ceiling shall be in white colour. Walls in pastel shade.	Ceramic Tiles up to 2 feet above the counter, balance area in Plaster, Putty and Acrylic Emulsion Paint. Cabinets above and below the counter made of MDF boards with hardware and fittings. Counter shall be of granite.
WINDOWS & EXTERNAL DOORS	uPVC sliding doors and windows with glazing only. Latch shall be provided from inside.	uPVC, sliding or openable doors and windows with glazing only. Latch shall be provided from inside.
DOORS & DOOR FRAMES	7 feet high moulded skin door shutter painted with enamel paint. Stainless steel/brass hardware (Mortice lock, tower bolt, door stopper). Door frame to be of hard wood painted with enamel paint.	7 feet high moulded skin door shutter painted with Enamel pint. Stainless steel/brass hardware (Mortice lock, tower bolt, door stopper). Door frame to be of hard wood painted with enamel paint.
PLUMBING	N/A	 Concealed CPVC pipelines for the supply of hot and cold water (without geyser). SS sink with single bowl and drain board and wall mounted swivel spout. Location shall be provided for fixing RO system and a small geyser. Plumbing and electrical point shall be provided.

ELECTRICAL

Copper wiring in concealed PVC conduits along with copper pipe & drain pipe for Split AC and modular switches (Refer to Annexure-A).

Copper wiring in concealed PVC conduits along with modular switches (Refer to Annexure-A). Provision for fixing small geyser, chimney and RO system will be provided.

SPECIFICATIONS

AREA

Master Toilet

Ceramic Tiles

WALL & CEILING

FLOORING

Ceramic Tiles up to 7 feet height. Balance area Plaster, Putty and Acrylic Emulsion Paint in white colour

WINDOWS & EXTERNAL DOORS

uPVC sliding or openable windows with glazing only. Latch shall be provided from inside.

DOORS &
DOOR FRAMES

7 feet high moulded skin door shutter painted with Enamel paint. Stainless steel/brass hardware (Mortice lock, tower bolt, door stopper). Door frame to be of hard wood painted with enamel paint.

PLUMBING

ELECTRICAL

- Concealed CPVC pipelines for supply of hot and cold water (without geyser)
- C P fitting and sanitary ware of reputed brand (Rocca/Kohler/Jaquar/Gro he or equivalent)
- WC with cistern (Rocca/ Kohler/American Standard or equivalent) and health faucet
- Granite counter with wash basin (Rocca/Kohler/American Standard or equivalent).
- Glass partition in shower area
- · Mirror and towel rail
- Location shall be provided for fixing geyser along with plumbing and electrical points

Copper wiring in concealed PVC conduits along with modular switches (Refer to Annexure-A). Provision for fixing a small geyser will be provided.

Toilets

Ceramic Tiles

Ceramic Tiles up to 7 feet height.
Balance area Plaster, Putty and Acrylic
Emulsion Paint in white colour.

uPVC sliding or openable windows with glazing only. Latch shall be provided from inside.

7 feet high moulded skin door shutter painted with enamel paint. Stainless steel/brass hardware (Mortice lock, tower bolt, door stopper). Door frame to be of hard wood painted with enamel paint.

- Concealed CPVC pipelines for supply of hot and cold water (without geyser)
- C P fitting and sanitary ware of reputed brand (Rocca/Kohler/Jaquar/Grohe or equivalent)
- WC with cistern (Rocca/Kohler/American Standard or equivalent) and health faucet
- Granite counter with wash basin (Rocca/Kohler/American Standard or equivalent)
- · Mirror and towel rail
- Location shall be provided for fixing geyser along with plumbing and electrical points

Copper wiring in concealed PVC conduits along with modular switches (Refer to Annexure-A).

Provision for fixing a small geyser will be provided.

SPECIFICATIONS

AREA

Balcony

FLOORING

Ceramic Tiles

WALL & CEILING

MS Railings duly painted in enamel paint/external texture paint on walls. Acrylic emulsion paint in white color on the ceiling.

WINDOWS & EXTERNAL DOORS

Service shaft door shutters made of MS/ply/cement board. It may open in balcony.

DOORS & DOOR FRAMES

N/A

PLUMBING

- Water drainage outlet shall be provided
- Water inlet point shall be provided only in the service balcony attached with the kitchen

ELECTRICAL

Copper wiring in concealed PVC conduits along with modular switches. Power point for washing machine will be provided in the service balcony attached with the kitchen only (Refer to Annexure-A).

Structure:

Earthquake Resistant RCC frame structure designed for Seismic Zone-4. Floor slab to Floor slab height to be 3050 mm. Design approved by IIT/NIT/equivalent as specified by DTCP, Chandigarh.

Lifts

1 passenger lift & 1 stretcher/service lift in each building of reputed make such as OTIS/SCHINDLER/KONE/ThyssenKrupp or similar.

Lift Lobbies & Corridor (Typical Floor)

- · Flooring in attractive designs of ceramic tiles/vitrified tiles
- Wall to be finished in a mixed pattern of tiles/stone and texture paint
- Ceiling shall be plastered along with a coat of putty duly finished by white colour oil bound distemper
- · Ceiling lights shall be provided
- Window opening in corridor shall be as per direction of the fire department

SPECIFICATIONS

AREA

DESCRIPTION

Ground Floor Lobby

· Extra height of lobby

- Waiting lounge for visitors
- Flooring in mix design of marble, granite and tile (any one or more)
- Wall paneling and false ceiling with lighting
- · Reception area
- · Mail boxes for each flat
- · Small kids zone

DESCRIPTION

AREA

External Finish

Building shall be finished in a mix of textured and plain paint.

Water Supply

Department)

Staircase

· Stone/Tile flooring

· MS railing on one side

shall be in white color

Walls will be plastered along with

putty and painted with oil bound

distemper in pastel shade. Ceiling

· Staircase shall have wall opening as

required by Fire Department

Rated Doors as required

Lighting and signage shall be

· Only Fire staircase shall have Fire

provided on every floor landing

· Garbage chute will be provided in

the main staircase landing/mid

landing (as per instruction of Fire

Supply of filtered drinking water through centralised water filtration plant via underground tank and overhead tanks. Till such time supply of drinking water is not provided by HUDA/Municipal Corporation, the Developer shall arrange to provide the same through water tankers. The cost for it shall be borne by all the allottee proportionately in addition to the Common Area Maintenance charges

SPECIFICATIONS

AREA

Electric Connection & Power Back-Up

DESCRIPTION

- · Each apartment shall be provided with suitable 3 phase electricity connection through state electricity distribution company. 8 KW for Type-A, 8 KW for Type-B, 6 KW for Type-C. Connection shall be provided based on diversity factors as allowed by the Regulatory Authority. Meter connection charges including cost of meter, deposit, supervision cost and line charges shall be charged seperately at the time of offer for possession. Recurring monthly charges shall be extra
- Power back up of 5 KW for Type A (3 BR + 3Toilets), 4 KW for Type B (2 BR + Study + 2 Toilets) and 4 KW for Type C (2 BR + 2 Toilets) and in common areas with overall suitable diversity factor shall be provided. Recurring monthly cost shall be charged extra

Additional Features

- Fiber to the floor network (FTTF)**
- Wi-Fi enabled Common Areas**
- Provision for Piped Cooking Gas supply connection at an extra cost shall be made in each apartment. Gas supply along with piped cooking gas system maintenance shall be outsourced to a third party specialised vendor. Allottee shall be billed by the authorised gas vendor for recurring gas consumption as per his monthly consumption along with a fixed monthly cost for monthly maintainance by the vendor. Please note supply of gas facility may not be available until 50 % of the apartments are occupied in Phase I (Tower T1, T2, & T₃) of the project**
- Pre Paid Electric Meter and Billing System shall be installed. Meter cost, connection charges, recurring user charges shall be paid extra by the allottee
- Provission for DTH (Television / Broadband) service shall be provided. Subscription and user charges to be paid directly to the service provider
- Surveillance with CCTV cameras on the periphery of the complex, main entry and exit, lower basement lobby level, basement ramps, tower ground floor entrance lobby levels and lifts

ANNEXURE - A Summary of Electrical Point

SN	Location	Bell Point	Light Ceiling Light		Mirror Light Point	Ceiling Fan Point	6 Amp Light Plug		25 Amp AC Point	Distribution Board	Telephone Point	TV Point	Exhaust Fan	Wall Fan
1	2BHK FLAT	1	21	5	2	8	18	10	4	1	4	3	3	2
2	3BHK FLAT	1	26	6	3	10	22	12	5	1	5	4	4	3
3	2BHK + STUDY FLAT	1	21	7	2	9	21	11	5	1	5	4	3	2
	TOTAL	3	68	18	7	27	61	33	14	3	14	11	10	7


^{**} Extra charges as applicable

DISCLAIMERS FOR SPECIFICATIONS & FEATURES

For Natural Materials (Wooden elements / Stone elements)

- 1. Door Frames: Door frames are made of solid hard wood. Solid hard wood, being a natural material will vary in texture, knots and would have seasonal behavior depending on the ambient temperature. Expansion and contraction is inherent to hard wood and may lead to minor surface cracks.
- 2. Granite/ Marble/ Sandstone: Granite/ Marble / Sandstone being natural material will vary in texture and colour. Over a period of time discoloration can happen. Stone being porous in nature will absorb fluid if any fluid spillage is not removed quickly. Stone may develop crack on impact with heavy equipment, sharp object etc. Polishing on the stone is done using artificial polishing agents and shall wear off due to usage in due course of time. It requires regular proper maintenance for maintaining polish.
- 3. Wall and Ceiling Cracks: Due to large temperature variance between summer months and winter months expansions and contraction takes place in concrete and brick work. Due to such movements, sometimes surface cracks would appear in the walls at the junction of RCC members and Brick masonry. Such cracks could appear despite taking all engineering precautions.
- As per structural design principles, structures are allowed to deflect in different allowable loading/atmospheric/ground settlement/seismic parameters. Since masonry and RCC members behaves differently in such situations, therefore hair cracks in different components of the building are inevitable. These cracks are more visible in plastered surface of the masonry work. While conventionally recognized precautionary measures will be undertaken diligently but complete disappearance of such cracks cannot be ascertained
- 4. Normal wear & tear: Equipments and products within the apartment and /or within the Complex will face natural wear and tear over a period of time due to usage. If such usage is more than what is prescribed by the manufacturer/ vendor of such products, then the rate of deterioration/ degeneration would be faster. The Developer is not a manufacturer of such products directly and hence depends on the warranty provided by the manufacturer/ vendor of such products. The warranty on all such products/ equipments/ materials shall be the warranty provided by the original equipment manufacturer only.
- 5. Vitrified tiles and Ceramic Tiles: Tiles are sourced from the tile manufacturing Companies of national repute. Tiles consist of, among other things, natural sand, silica and soil. Colouring agents are used for providing different colours, shades and patterns to the tiles. Variation in colour is inherent in the tile making process. Tiles are 8-10 mm thick and can develop cracks upon impact with heavy or sharp objects.
- 6. Door Shutters: Door shutters are hollow core door shutters. The frame of the shutter is made of hard wood such as rubber wood, Canadian pine or similar. The central part of the frame is filled with either tubular board made of compacted wood particles of medium density or pieces of wood. Thereafter the top moulded skin is pasted in a factory process. The shutters will have a tendency to bulge if water seeps inside and can crack on heavy impact which may happen due to a forceful banging of the shutter or if proper door stopper is not utilized.
- 7. Wall: No tiles behind/below kitchen cabinets, Wall surface above the false ceiling may be left in its original bare condition.
- 8. External Paints: External plastered surface of the buildings are painted of suitable quality as decided by the Architects. Paints are manufactured product from chemicals and specific grade of minerals/natural stone product. After application this paint is exposed to weatheric conditions. Ultra violet ray and weatheric conditions will affect life and sheen of the product and also would cause damages to the expected/designed protective properties of paints. Therefore, periodic maintenance including redoing of paints would be inevitable.
- 9. Air Conditioning System: Provision for fixing of window/split air conditioner in drawing dining area & bedrooms are being provided. For Split A/C assigned spaces are earmarked on the elevation of the building for ease of access and to create uniformity for aesthetic purpose.
- 10. Glass: Glass, plain/clear/frosted, is widely used in residential developments and may break/shatter due to accidental knocks or other causes. In addition, glass is a manufactured material and the Purchaser may wish to note that it may not be 100% free from impurities. These impurities are not avoidable with quality checks and balances.
- 11. **Design Experts**: Professionally qualified practicing consultants in the field are deployed to design different functions in compliance to applicable norms and guidelines. These functions are a) Architecture b) Structure c) Plumbing d) Landscape e) Fire Fighting and e) Power & Electrical. Design parameters set by such experts and applicability of their drawings and decisions are treated as final.
- 12. Brick work, plaster and application of putty/POP over plastered surface are manual activities. Hence, despite all quality process in the job, undulation, out in plumb to certain extent cannot be avoided completely.
- 13. While every reasonable care has been taken in preparing this brochure and in constructing the models and show flats, the Developer and the Marketing Agents cannot be held responsible for any inaccuracies or omissions. Visual representations, models, show flat displays and illustrations, photographs, art renderings and other graphic representations and references are intended to portray only artist's impressions of the development and cannot be regarded as representations of the fact. Floor areas are approximate measurements and are Subject to final survey.
- 14. All information, specifications, renderings, visual representations and plans are correct at the time of publication and are subject to changes as may be required by us and/or the competent authorities and shall not form part of any offer or contract nor constitute any warranty by us and shall not be regarded as statements or representation of fact. All facts are subject to amendments as directed and/or approved by the building authorities. All areas are approximate measurements only and subject to final survey. The Agreement to sell shall form the entire agreement between us as the Developer and the Purchaser and shall supersede all statements, representations or promises made Prior to the signing of the Agreement to sell and shall in no way be modified by any statements, representations or promises made by us or the Marketing Agents.





- Note:


 The Internal Dimensions shown are from wall to wall excluding plaster thickness as per Architectural & Structural construction drawings.

 The Balcony Dimensions shown are from external face of wall to external face of balcony wall.

 All firmiture & wardrobe shown in the drawing is only for indicative purpose.

 Plumbing pipes shown in the shafts and balcony is indicative only and may or may not change.

 Location of Refrigerator, Hob etc. in the Kitchen, Tv. in rooms & Washing machine in service balcony is for indicative purpose only. Refer to the:



- Note:


 The Internal Dimensions shown are from wall to wall excluding plaster thickness as per Architectural & Stru

 The Balcony Dimensions shown are from external face of wall to external face of balcony wall.

 All furniture & wardrobe shown in the drawing is only for indicative purpose.

 Plumbing pipes shown in the shafts and balcony is indicative only and may or may not change.

 Location of Refrigerator, Hob etc. in the Kitchen, I'rv. in rooms & Washing machine in service balcony is for



- Note:

 The Internal Dimensions shown are from wall to wall excluding plaster thickness as per Architectur. The Balcony Dimensions shown are from external face of wall to external face of balcony wall. All furniture & wardrobe shown in the drawing is only for indicative purpose. Plumbing pipes shown in the shafts and balcony is indicative only and may or may not change. Location of Refrigerator, Hob etc. in the Kitchen, Tv. in rooms & Washing machine in service balc.

ASHIANA MULBERRY SOHNA ROAD, GURGAON

TYPE- A 3 BEDROOMS + 3 TOILETS

7.21 SQ. MT. BALCONY 6'-0" WIDE

BALCONY 5'-0" WIDE 4.95 SQ. MT

-,0-,9-

BALCONY 6'-0" WIDE 5.43 SQ. MT.

AREA	SQ. M.	SQ. FT.
CARPET	92.36	994.16
BALCONY	25	269.10
UNIT EXT.WALL	11.25	121.10
COVERED/ UNIT AREA	128.61	1384.36
COMMON	32.11	345.63
SALEABLE	160.72	1730



3.97 SQ. MT

BALCONY 5'-0" WIDE

DINING 17'-0"X10'-6"

TYPE A 92.36 SQ. MT.

PLUMBING PIPES

3.45 SQ. MT. 5'-0"

- • • •
- Note:

 The Internal Dimensions shown are from wall to wall excluding plaster thickness as per Architectural & Structural construction drawings.

 The Carpet Area calculation is as per RERA definition and after deduction of area under plaster & skirting of External walls.

 The Balcony Dimensions shown are from external face of wall to external face of balcony wall.

 All furniture & wardrobe shown in the drawing is only for indicative purpose.

 Plumbing pipes shown in the shafts and balcony is indicative only and may or may not change.

 Location of Refrigerator, Hob etc. in the Kitchen, Tv. in rooms & Washing machine in service balcony is for indicative purpose only. Refer to the specification for details.



ASHIANA MULBERRY SOHNA ROAD, GURGAON

TYPE-B

2 BEDROOMS + STUDY + 2 TOILETS

AREA	SQ. M.	SQ. FT.
CARPET	77.57	834.9
BALCONY	20.56	221.3
UNIT EXT.WALL	11.12	7.611
COVERED/ UNIT AREA	109.25	76:5/11
COMMON	26.85	289.01
SALEABLE	136.10	1465

SPACE FOR WARDROBE

PLUMBING PIPES

- The Internal Dimensions shown are from wall to wall excluding plaster thickness as per Architectural & Structural construction drawings.

 The Carpet Area calculation is as per RERA definition and after deduction of area under plaster & skirting of External walls.

 The Balcony Dimensions shown are from external face of wall to external face of balcony wall.

 All furniture & wardrobe shown in the drawing is only for indicative purpose.

 Plumbing pipes shown in the shafts and balcony is indicative only and may or may not change.

 Location of Refrigerator, Hob etc. in the Kitchen, Tv. in rooms & Washing machine in service balcony is for indicative purpose only. Refer to the specification for details.

BALCONY 8-0" WIDE 64.83 SQ. MT. TYPE C KITC! 11'-0" > 3.45 SQ. MT. -2,-0.. BABESONMT 5'-0" WIDE

ASHIANA MULBERRY SOHNA ROAD, GURGAON

2 BEDROOMS + 2 TOILETS

AREA	SO. M.	SO. FT.
CARPET	64.83	697.83
BALCONY	18.04	194.18
UNIT EXT.WALL	8.27	89.02
COVERED/ UNIT AREA	91.14	981.03
COMMON	21.27	228.95
SALEABLE	112.41	1210

SPACE FOR WARDROBE PLUMBING PIPES

- The Internal Dimensions shown are from wall to wall excluding plaster thickness as per Architectural & Structural construction drawings.

- The Carpet Area calculation is as per RERA definition and after deduction of area under plaster & skirting of External walls.

 The Balcony Dimensions shown are from external face of wall to external face of balcony wall.

 All furniture & wardrobe shown in the drawing is only for indicative purpose.

 Plumbing pipes shown in the shafts and balcony is indicative only and may or may not change.

 Location of Refrigerator, Hob etc. in the Kitchen, Tv. in rooms & Washing machine in service balcony is for indicative purpose only. Refer to the specification for details.

ACTUAL SHOW FLAT















www.ashianamulberry.com